



## PRESS RELEASE

### EVO3 Gemini compact two-way mains power cleaner

**For Immediate Release,**

**May 2018 - IsoTek the**

leading brand of power conditioning solutions for hi-fi and home cinema systems has launched the next generation of the Discovery Series the EVO3 Gemini main conditioning block. The EVO3 Gemini benefits the same award-winning filter network as EVO3 Polaris reconfigured to feature just two output sockets rated at 10A. The EVO3 Gemini has



a unique delta filter topology ensuring class-leading filtration of both Common Mode and Differential Mode mains noise, delivering super-clean power to two outlets – each one independently isolated to prevent cross-contamination of mains noise created by connected electronics. Furthermore, 13,500Amps of instantaneous protection is provided, safeguarding valuable equipment via IsoTek's unique sequential and repeatable protection system. Priced at £249.00 / €295.00 / \$345.00, the Gemini is a cost-effective upgrade designed for simple two box audio or audio-visual systems or as a means to extend power outlets from the IsoTek Mosaic range of Sine wave generators, for example, Genesis One. EVO3 Gemini will be available from July 2018.

The EVO3 Gemini is a compact in size measuring just 243mm in length, 80mm wide and just 45mm in height. It features two individual outlets which reference back to the central PCB. Most power cleaners of this style join output sockets together, running each in series, this is an error as Differential Mode Noise created by your connected electronics will cross contaminate from one output socket to the next. Gemini's unique filter design and high-quality wiring schematic prevents this.

#### **Key Features and benefits:**

- Removes Common Mode and Differential Mode mains noise
- Radio Frequency Interference (RFI) reduction 30dB
- Each independent outlet stops Differential Mode cross contamination
- Unique delta filter topology improves product performance
- 13,500A of instantaneous protection, featuring IsoTek's unique sequential protection system
- Internal wiring; multi-strand silver plated OFC copper with PTFE dielectric
- It features star earthing
- Maximum continuous power 2300W
- Cost effective upgrade, delivering improved performance for any audio or AV system
- Compact design for easy placement
- Available in UK, EU, US, AU, CH and ZA sockets
- IsoTek's award-winning technology at an affordable price

#### **Technical Specification:**

<b>Number of outlets</b>	2
<b>Type of outlets</b>	UK, EU, US, CH, AU & ZA
<b>Standard mains inlet</b>	10A IEC C14
<b>Mains voltage</b>	100 to 240V 50-60Hz
<b>Maximum current</b>	10A HRC
<b>Total wattage</b>	3680W
<b>Dimensions</b>	80 x 45 x 243 mm (W x H x D)
<b>Weight</b>	1.5Kg

**About IsoTek**

Headquarters in Winchester UK, IsoTek is a brand delivering award-winning power optimisation products for hi-fi and home cinema systems. IsoTek is an international brand supported by over 45 international distributors and has earned numerous accolades from specialist audio and AV publications worldwide as well as being voted most innovative brand in the Home Entertainment category at the PLUS X Awards, Germany 2016.

IsoTek was born with a singular aim: to create a better solution to the problem of poor mains quality, which restricts the performance of audio systems, through rigorous research and genuine innovation.

-----

**For further information, please contact:**

Fi Hobden

Head of Marketing

Phone: +44 (0) 7841 537760

Mail: [fi@isoteksystems.com](mailto:fi@isoteksystems.com)